



# PLAY EQUIPMENT

**MODERN GARDENS FOR GARDENS EQUIPMENTS TRADING LLC**

PO Box 128619 Abu Dhabi UAE | Tel +971 2 650 8039 | Fax +971 2 673 5995

Email [moderngardens@gmail.com](mailto:moderngardens@gmail.com) | [marketing.moderngardens@gmail.com](mailto:marketing.moderngardens@gmail.com) | Website [moderngardensuae.com](http://moderngardensuae.com)





# | SWINGS





**SINGLE-SEATER SWING CLASSIC XCAL11**

DIMENSIONS | 2180 x 1740 mm



**BASKET NEST SWING CLASSIC XCAL45**

DIMENSIONS | 3450 x 1740 mm



**TWO-SEATER SWING CLASSIC XCAL21**

DIMENSIONS | 3450 x 1740 mm



**XSAL41BTG**

SPECIFICATIONS | Glulam two-layer struts: cross section 9x9 cm + ground bracket - rotationally-moulded polyethylene flower-shaped side gableboards - mounting height = 200 cm  
- dual self-lubricating bearing suspensions - galvanised tight loop chains, 6 mm wire, 8 mm internal span - polyethylene is 100% recyclable



**BASKET NEST SWING SULTAN XSAL45 WITH TUBULAR BEAM**

DIMENSIONS | 3450 x 1740 mm



**XSAL31BG**





## XSAL31

**Information:**  
length: 218 width: 174 age of use: <3>3  
security area: 700x320 safety matting: 12



## XSAL15

**Information:**  
length: 218 width: 174 age of use: > 2  
security area: 700x320 safety matting: 12



## XSAL41 TWO-SEATER SWING SULTAN

**DIMENSIONS |** 3450 X 1740 MM  
**AGE OF USE |** >3 years





**TWO-SEATER SWING COUNTRY ROBINIA XRALF20**

Information: length: 353 width: 180 height: 230 age of use: <3 / >3



**KALUBA SWING XKAL120 WITH NEST SEAT**

Information: length: 345 width: 174 age of use: 2-6



**KALUBA SWING XKAL200 WITH 2 BUCKET SEATS**

Information: length: 345 width: 174 age of use: <3 / >3



**TOWER KALUBA XKA144**

Information: length: 435 width: 88 height: 224 age of use: > 3

SPECIFICATIONS | Glulam two-layer struts: cross section 9x9 cm + ground bracket - rotationally-moulded polyethylene flower-shaped side gableboards - mounting height = 200 cm  
- dual self-lubricating bearing suspensions - galvanised tight loop chains, 6 mm wire, 8 mm internal span - polyethylene is 100% recyclable



**TOWER KALUBA XKA110 WITH BALCONY AND ROOF**

Information: length: 350 width: 214 height: 326 age of use: > 3



**BOWED TOWER KALUBA XKA112 WITH ROOF**

Information: length: 394 width: 279 height: 339 age of use: > 3





**AP.1528/A**

UNIT SIZE | 170 x 340 cm MINIMUM USE SIZE | 570 x 640 cm  
HIGHEST POINT | 365 cm NUMBER OF USERS | 2



**AP.1524/A**

UNIT SIZE | 130 x 360 cm MINIMUM USE SIZE | 660 x 870 cm  
HIGHEST POINT | 300 cm NUMBER OF USERS | 2




**AP.1527/A**

UNIT SIZE | 240 x 340 cm MINIMUM USE SIZE | 640 x 740 cm  
HIGHEST POINT | 315 cm NUMBER OF USERS | 2

WOODEN PLAYGROUND SETS







**AP 1518**

UNIT SIZE | 2000 X 3500 X 2800 mm



**AP 1501 SWING**

DIMENSIONS | 1200 X 3300 X 2500mm  
AGE GROUP | 3-15 yrs



**AP 1519**


AGE GROUP | 3-15 yrs






# | CAROUSELS





### AP 1563

DIMENSIONS | 1600 X 1600 X 1900 mm  
AGE GROUP | 3-12 yrs



### AP 1561 (Above)

DIMENSIONS | 1400 X 1400 X 600 mm

### AP 1562 (Below)


DIMENSIONS | 1800 X 1800 X 650 mm





## AP 1565


DIMENSIONS | 2200 X 2200 X 1000mm  
AGE GROUP | 3-12 yrs



## POLYETHYLENE ROUNDABOUT XCG120


DIMENSIONS | 1200 X 760mm  
HEIGHT | 600 mm  
AGE GROUP | 3 yrs +





### AP 1574 SEESAW

DIMENSIONS | 2100 X 2100 X 1200 mm  
AGE GROUP | 3-12 yrs



### AP 1573 (Above)

DIMENSIONS | 300 X 300 X 1000 mm

### AP 1576 (Below)

DIMENSIONS | 1500 X 1500 X 700 mm





**ROUNABOUT ROTORSO WITH BEAR XCRG151**



**ROUNABOUT ROTOGUFO WITH OWL XCRG149**



**RONNY XRS01**

**SPECIFICATIONS |** - hand-carved bear made of black locust wood - varnished with non-toxic and ecofriendly water-based colours - hot-dip galvanised rotating mechanism  
 - non-slip plywood floor - tubular stainless steel hand grips





# | SPRING RIDERS





### SPRING RIDER GUFY XRM13

DIMENSIONS | diameter: 22/24 seat height: 60 age of use: 3-8



### SPRING RIDER AMY XRM03

DIMENSIONS | length: 60 width: 38  
seat height: 58 age of use: 3-8



### SPRING RIDER BETTY XRM01

DIMENSIONS | length: 60 width: 38  
seat height: 58 age of use: 3-8

SPECIFICATIONS | - shaped body made of hand-carved black locust wood - varnished with non-toxic and ecofriendly watercolours - the body is fixed on an "Eibach"-spring, diameter 20 cm, in HD-version (reinforced) - endowed with two footrests and hand grip made of stainless steel - Fe 360 galvanised base for cementing





### **TWO-SPRING SEESAW BETTY&NELLY XRM02**

**DIMENSIONS** | length: 150 width: 125  
seat height: 60 age of use: 3-8



### **SPRING RIDER SELLY XRM04N**

**DIMENSIONS** | length: 60 width: 38  
seat height: 58 age of use: 3-8



### **SPRING RIDER SELLY XRM04**


**DIMENSIONS** | length: 60 width: 38  
seat height: 58 age of use: 3-8

**SPECIFICATIONS** | - shaped body made of hand-carved black locust wood - varnished with non-toxic and ecofriendly watercolours - the body is fixed on an "Eibach"-spring, diameter 20 cm, in HD-version (reinforced) - endowed with two footrests and hand grip made of stainless steel - Fe 360 galvanised base for cementing





**POLYETHYLENE SPRING RIDER DONKEY XFAM13**  
 DIMENSIONS | 1280 X 580mm HEIGHT | 600 mm  
 AGE GROUP | 3-6 yrs



**POLYETHYLENE SPRING RIDER CAMMY XFAM14**  
 DIMENSIONS | 1250 X 580mm HEIGHT | 600 mm  
 AGE GROUP | 3-6 yrs



**POLYETHYLENE SPRING RIDER GRILLY XFAM16**  
 length: 108 width: 30 seat height: 50  
 age of use: 3-8 security area: 320x200 fall height: 60



**FOUR-SEATER FLOWER SPRING RIDER FIORELLINO XFLM121**  
 length: 100 width: 100  
 seat height: 52 age of use: 3-8  
 security area: Ø 300



**POLYETHYLENE SPRING RIDER BOLIDE XUM10/12**  
 length: 134 width: 58 seat height: 52  
 age of use: 3-8 security area: 334x200  
 fall height: 60



**POLYETHYLENE TWO-SEATER SPRING RIDER TOPFUN XUM18**  
 length: 90 width: 88 seat height: 45  
 age of use: 2-6 security area: 243x300





**AP.1626/A**

UNIT SIZE | 50 x 90 cm MINIMUM USE SIZE | 350 x 390 cm  
HIGHEST POINT | 95 cm NUMBER OF USERS | 1



**AP.1628/A**

UNIT SIZE | 50 x 85 cm MINIMUM USE SIZE | 350 x 385 cm  
HIGHEST POINT | 125 cm NUMBER OF USERS | 1



**AP.1624/A**

UNIT SIZE | 50 x 85 cm MINIMUM USE SIZE | 350 x 380 cm  
HIGHEST POINT | 85 cm NUMBER OF USERS | 1



**HELICOPTER C.155/A**

UNIT SIZE | 235 x 320 cm MINIMUM USE SIZE | 535 x 620 cm  
HIGHEST POINT | 220 cm NUMBER OF USERS | 4




**AMBULANCE C.151/A**

UNIT SIZE | 145 x 270 cm MINIMUM USE SIZE | 445 x 570 cm  
HIGHEST POINT | 195 cm NUMBER OF USERS | 12




**S.U.V. C.153/A**

UNIT SIZE | 160 x 260 cm MINIMUM USE SIZE | 460 x 560 cm  
HIGHEST POINT | 140 cm NUMBER OF USERS | 4



### TWO-SPRING SEESAW COWBOY XFAM41

**Information:**  
length: 300 width: 50 seat height: 58 age of use: 3-8  
security area: 500x200



### TWO SPRING SEESAW RODEO XFAM4

**DIMENSIONS** | 2240 X 1240mm  
**HEIGHT** | 420 mm **AGE GROUP** | 3-8 yrs



### TWO-SPRING SEESAW CROSS XUM40

**length:** 223 **width:** 110 **seat height:** 60 **age of use:** 3-8 **security area:** 323x423





**SHIP C.157/A**

UNIT SIZE | 200 x 380 cm MINIMUM USE SIZE | 500 x 680 cm  
HIGHEST POINT | 295 cm NUMBER OF USERS | 10



**HAPPY BUS C.154/A**

UNIT SIZE | 150 x 270 cm MINIMUM USE SIZE | 450 x 570 cm  
HIGHEST POINT | 185 cm NUMBER OF USERS | 10



**DIGGER AP.1578/A**


UNIT SIZE | 60 x 180 cm  
MINIMUM USE SIZE | 360 x 480 cm  
HIGHEST POINT | 120 cm  
NUMBER OF USERS | 1






# | SEESAWS





**AP. 1553**

CAPACITY | 2 AGE GROUP | 3-15 yrs




**AP. 1551**

**AP. 1554**



## FOUR SEATER SEESAW XRD40 MADE OF BLACK LOCUST

Information: length: 400 width: 37 seat height: 36/84 age of use: > 3  
security area: 700x300



## SINGLE SEESAW XCD20 (Above)

## SINGLE SEESAW XCD40 (Below)

DIMENSIONS | 370 X 4000mm SEAT HEIGHT | 360 / 840mm  
AGE GROUP | 3-15 yrs FALL HEIGHT | 990mm





## AP.1586/A

UNIT SIZE | 560 x 750 cm MINIMUM USE SIZE | 860 x 1050 cm  
HIGHEST POINT | 330 cm NUMBER OF USERS | 2



## AP.1549/A

UNIT SIZE | 220 x 420 cm MINIMUM USE SIZE | 500 x 720 cm  
HIGHEST POINT | 100 cm NUMBER OF USERS | 2





# | ACTIVITY BOARDS





### ACTIVITY PANEL ARCOBALENO XPA13

length: 128 height: 95 age of use: 2-8 security area: 428x300



### ACTIVITY PANEL PAPER/STONE XPA15

length: 128 height: 95 age of use: 2-8 security area: 428x300




### ACTIVITY PANEL LUDOPPOINT XPA10 (ALU)

length: 120 width: 120 age of use: >2

SPECIFICATIONS | - Glulam two-layer struts: cross section 9x9 cm - rotationally-moulded, recyclable polyethylene panel and caps  
- central blackboard panel made of black Forex - kit with galvanised bolts and plastic plugs





### ACTIVITY PANEL SUN & MOON XP24

length: 128 height: 120 age of use: 2-8



### ACTIVITY PANEL TRIS XP23

length: 128 height: 120 age of use: 2-8

SPECIFICATIONS | - Glulam two-layer struts: cross section 9x9 cm - two rotationally-moulded, recyclable polyethylene panels - 18 revolving spheres made of rotationally-moulded, recyclable polyethylene with symbols - kit with galvanised bolts and plastic plugs



### DOUBLE ACTIVITY PANEL TRICKY XP30

length: 128 width: 128 height: 120 age of use: 2-8





### ACTIVITY PANEL PALLOTTOLIERE XPA12

length: 128 height: 95 age of use: 2-8 security area: 428x300



### ACTIVITY PANEL SHOP XPA14

length: 128 height: 95 age of use: 2-8 security area: 428x300



### ACTIVITY PANEL ANGOLO SHOP/PALLOTTOLIERE XPA20

length: 128 width: 128 age of use: >2

SPECIFICATIONS | Glulam two-layer struts: cross section 9x9 cm - combination of the two panels *pallottoliere xpa12* and *shop xpa14* made of recyclable polyethylene, thickness 19 mm





### ACTIVITY PANEL ARTIST XP25


length: 128 height: 120 age of use: 2-8 security area: 429x313

SPECIFICATIONS | - Glulam two-layer struts: cross section 9x9 cm - rotationally-moulded, recyclable polyethylene panel and caps  
- central blackboard panel made of black Forex - kit with galvanised bolts and plastic plugs



### ACTIVITY PANEL GOAL XP21

length: 128 height: 120 age of use: 2-8 security area: 429-313



### ACTIVITY PANEL LUDOPPOINT XPA10

length: 120 width: 120 age of use: >2





### OASIS X0A100

DIMENSIONS | 3260 X 1670mm  
HEIGHT | 840 mm AGE GROUP | 3-15 yrs



### MAX XM104

DIMENSIONS | 3790 X 2200mm  
HEIGHT | 840 mm AGE GROUP | 3-15 yrs





# | STATIC TOYS





## LOCOMOTIVE SANTA FÈ XU67

**Information:**  
**length:** 214 **width:** 116  
**age of use:** 2-8 **security area:** 414x322



## PASSENGER WAGON XU68

**Information:**  
**length:** 198 **width:** 119  
**age of use:** 2-8 **security area:** 398x322



## TUNNEL WAGON XU69

**Information:**  
**length:** 165 **width:** 92  
**age of use:** 2-8 **security area:** 365x279

**MATERIALS** | - Glulam two-layer struts: cross section 9x9 cm - platforms and seats made of HPL - wheels and caps made of recyclable polyethylene - semi-curved roof and gableboards made of recyclable polyethylene - rotationally-moulded polyethylene tube tunnel - kit with galvanised bolts and plastic plugs





## CRAWL-THROUGH STRAIGHT TUNNEL XP19

### Information:

length: 130 width: 100  
height: 100 age of use: 2-8  
security area: 331x282

MATERIALS | - rotationally-moulded, recyclable polyethylene straight tunnel: diameter 80 cm - rounded HPL supporting shapes: 15 mm thick - kit with galvanised bolts and plastic plugs



## CRAWL-THROUGH STRAIGHT TUNNEL XP15

### Information:

length: 195 width: 100  
height: 100 age of use: 2-8  
security area: 396x282





### PAIR OF TALKING FLOWERS VOX XFL100

length: 22 width: 40 height: 100/120 age of use: > 3

SPECIFICATIONS | - pair of galvanised steel tubes (70 mm above ground), h 100/120 - pair of perforated flower shapes made of bevelled polyethylene  
- plastic underground connecting tube - kit with galvanised bolts and plastic plugs



### ELDORADO CHATTERBOX VOX XED20

length: 57 width: 36 height: 150 age of use: > 3







### XSB30

HEIGHT: Adjustable

AGE OF USE | >3 years

MATERIALS | Aluminum pole cemented, rotationally-moulded polyethylene basket with three holes/outlets



### XSB20 SURPRISE BALL

DIAMETER: 800mm HEIGHT: 285mm

AGE OF USE | >3 years






## | INTERACTIVE PLAY





**PK. 11201/A**

DIMENSIONS | 3900 X 3630 X 2640 mm  
 USER AGE | 3-15  
 USER CAPACITY | 6



**PK. 11202/A**



DIMENSIONS | 600 X 3600 X 2700 mm  
 USER AGE | 3-15  
 USER CAPACITY | 2



**PK. 11203/A**

DIMENSIONS | 1270 X 1710 X 970 mm  
 USER AGE | 3-15  
 USER CAPACITY | 4





## PK. 11207/A OCTOPUS


DIMENSIONS | 7300 X 7300 X 4500 mm  
 USER AGE | 3-15  
 USER CAPACITY | 6



## PK. 11206/A BUTTERFLY

DIMENSIONS | 600 X 3600 X 2700 mm  
 USER AGE | 3-15  
 USER CAPACITY | 2





**PK.11205/A**



**PK. 11205/A**

**DIMENSIONS | 1220 X 1220 X 1300 mm**

**USER AGE | 3-15**

**USER CAPACITY | 4**



**PK. 11204/A (SIDE)**

**DIMENSIONS | 1000 X 1810 X 1530 mm**

**USER AGE | 3-15 USER CAPACITY | 2**







### PK. 11209/A

“LOOP” IS MADE OF 2 DISTINCT GAMES. PLAYERS TURN THE WHEELS IN ACCORDANCE TO THE SOUND AND RACES TO LIGHT UP THE BUILDING.

UNIT SIZE | 600 X 300 X cm    HIGHEST POINT | 140 cm    Number of players | 4  
 USER AGE | 3-15    USER CAPACITY | 6




### PK. 11208/A

“RECYCLE” IS DESIGNED TO INTRODUCE THE RESPONSIBILITY TO RECYCLE. TWO PLAYERS IDENTIFY THE CORRECT CATEGORY OF BUTTONS TO THE PICTURES OF RECYCLABLE MATERIALS. THE MOST POINTS WIN.

USER AGE | 3-15    USER CAPACITY | 2





### PK. 11211/A CURIOSITY

FEATURES | SENSORY BUTTONS AND MULTIPLE PLAYABLE SCENARIOS FOR KIDS WITH WALKING DISABILITY  
UNIT SIZE | 75 x 150 cm MINIMUM USE SIZE | 375 x 450 cm HIGHEST POINT | 160 cm  
USER AGE | 3-15 USER CAPACITY | 2





## TWO-SPRING SEESAW CROSS XUM40

length: 223 width: 110 seat height: 60 age of use: 3-8 security area: 323x423

**MATERIALS** | - 2 three-dimensional shapes which have the form of a motor scooter, made of rotationally-moulded recyclable polyethylene - 2x20 mm EKS steel alloy helical springs  
 - bicolor polyethylene platform for outdoor use - anti-compression connection plate - rubber wheels act as buffers - 9x9 cm aluminium crosspiece - Fe 360 galvanised base for cementing





# | SANDBOXES





**OPEN SANDPIT XCS04**

Information:  
length: 300 width: 300  
height: 39 age of use: > 2



**XCSE01**





## OPEN SANDPIT XCS05

Information:  
length: 456 width: 306  
height: 39 age of use: > 2




## SABBIERA XCS08






## | SLIDES






**SLIDE TOY DUMBY XFA20**

length: 293 width: 70 height: 160 age of use: 2-8  
security area: 542x371 platform height: 84 safety matting: 21



**SLIDE TOY GRISSY XFA30**

length: 292 width: 70 height: 160 age of use: 2-8  
security area: 541x371 platform height: 84 safety matting: 18



**SLIDE TOY TERRY XFA15**


length: 254 width: 70 age of use: 2-8 security area: 503x371  
platform height: 84 safety matting: 18






**MY VILLAGE C.106-XS/A**

UNIT SIZE | 250 x 460 cm MINIMUM USE SIZE | 550 x 760 cm  
HIGHEST POINT | 325 cm NUMBER OF USERS | 6



**KING TOWER XT150**

length: 387 width: 143 age of use: >3 security area: 448x635  
platform height: 144 safety matting: 28



**KING TOWER WITH TUNNEL SLIDE XT150T**

length: 439 width: 143 height: 176 age of use: >3  
security area: 441x686 platform height: 144





### STRETCHING SUPPORT AND POLE XSP1

DIMENSIONS | length: 231 width: 163 age of use: 2-6

SPECIFICATIONS | 9X9CM CROSS-SECTION POLES IN 2-LAYER WOOD W/ PLASTIC CAP, ROTATIONALLY-MOULDED, RECYCLABLE POLYETHYLENE, HOT-GALVANIZED FIXING ACCESSORIES KIT, IN PLASTIC PLUGS



### TOWER ALADIN XA90R WITH RAMP

DIMENSIONS | length: 231 width: 153 age of use: 2-6



### TOWER ALADIN XA100

DIMENSIONS | length: 312 width: 220 age of use: > 3





**TOWER ALADIN XA100RA WITH RAMP AND SWING**

DIMENSIONS | length: 650 width: 182 age of use: > 3



**TOWER ALADIN XA100RAP WITH RAMP, SWING AND GYM**

DIMENSIONS | length: 648 width: 424 age of use: > 3



**TOWER ALADIN XA100RP WITH RAMP AND GYM**

DIMENSIONS | length: 423 width: 313 age of use: > 3

SPECIFICATIONS | 9X9CM CROSS-SECTION POLES IN 2-LAYER WOOD W/ PLASTIC CAP, ROTATIONALLY-MOULDED, RECYCLABLE POLYETHYLENE, HOT-GALVANIZED FIXING ACCESSORIES KIT, IN PLASTIC PLUGS





**DOUBLE TOWER ALADIN XA205 WITH RAMP**

DIMENSIONS | length: 456 width: 234 age of use: > 3



**DOUBLE TOWER ALADIN XA205RP WITH RAMP AND GYM**

DIMENSIONS | length: 489 width: 456 age of use: > 3



**TOWER ALADIN XA480 WITH ACTIVITY PANEL**

DIMENSIONS | length: 310 width: 167 age of use: >3

SPECIFICATIONS | 9X9CM CROSS-SECTION POLES IN 2-LAYER WOOD W/ PLASTIC CAP, ROTATIONALLY-MOULDED, RECYCLABLE POLYETHYLENE, HOT-GALVANIZED FIXING ACCESSORIES KIT, IN PLASTIC PLUGS






# | TOT HOUSES





**CLASSIC TOT HOUSE XC01**  
DIMENSIONS | 2000 x 1710 mm



**MULTI 3 XC03 TOT HOUSE + PUSHCHAIR RAMP**  
DIMENSIONS | 5120 x 2150 mm



**MULTI 2 XC02 TOT HOUSE**  
DIMENSIONS | 2150 x 2150 mm



**COTTAGE XS12 WOODEN TOT HOUSE WITH RAMP/SLIDE**  
DIMENSIONS | 3380 x 1920 mm



**CASABLANCA XS11 WOODEN TOT HOUSE WITH RAMP/SLIDE**  
DIMENSIONS | 3280 x 1850 mm



**MINOS XS40 CRAWL-THROUGH LABYRINTH**  
DIMENSIONS | 3720 x 2510 mm

**SPECIFICATIONS** | - Glulam two-layer struts: cross section 9x9 cm - bevelled solid wood floorboard: 33 mm thick - plywood walls (three layers): 19 mm thick  
- rotationally-moulded, recyclable polyethylene two-pitched roof - two seats/table made of non-slip plywood: 21 mm thick - one non-slip plywood sales shelf: 21 mm thick



**TOT HOUSE COUNTRY ROBINIA XR10 MADE OF BLACK LOCUST**  
**DIMENSIONS | length: 160, width: 168, seat height: 53, age of use: 2 - 8**



**TOT HOUSE COUNTRY ROBINIA XR12**



**TOT HOUSE COUNTRY ROBINIA XR20**



**PLAY TOWER COUNTRY ROBINIA XROM10 WITH THREE SLIDES**


**SPECIFICATIONS |** - struts made of black locust (*Robinia Pseudoacacia*), diameter 12/14 cm  
 - platform, roof and railings are made of black locust - kit with hot-dip galvanised bolts for assembly





# | THEMED STRUCTURES






## SNOWCAT XU10 WITH TUBE SLIDE

**SPECIFICATIONS** | - frame made of bilam posts 9x9 cm - windshield made of plexiglass 8 mm strong - tube slide elements rotationally moulded - panels/decoration made of three layer polyethylene 19 mm strong - steering wheel - no. 3 activity panels (1 x xpa12, 2 x xpa13) - hot dip galvanized screws and plastic covers





### SHIP X063 WITH SLIDE

DIMENSIONS | length: 733 width: 228 age of use: > 3



### CASTLE DIRONDELLO XT100

DIMENSIONS | length: 339 width: 313 height: 266 age of use: >3



## LIGHTHOUSE AP.2113/A

UNIT SIZE | 985 x 1850 cm MINIMUM USE SIZE | 1285 x 2200 cm  
HIGHEST POINT | 940 cm NUMBER OF USERS | 28



## TOWER AP.1758/A

UNIT SIZE | 420 x 630 cm MINIMUM USE SIZE | 770 x 930 cm  
HIGHEST POINT | 490 cm NUMBER OF USERS | 13





## HOME AP.2114/A

UNIT SIZE | 985 x 1190 cm MINIMUM USE SIZE | 1285 x 1490 cm HIGHEST POINT | 500 cm NUMBER OF USERS | 26



### AP.2109/A

UNIT SIZE | 540 x 700 cm MINIMUM USE SIZE | 840 x 1000 cm HIGHEST POINT | 270 cm NUMBER OF USERS | 14





## WOODIA AP.2212/A

UNIT SIZE | 490 x 970 cm MINIMUM USE SIZE | 790 x 1270 cm  
HIGHEST POINT | 490 cm NUMBER OF USERS | 16



## BODRUM AP.2116/A

UNIT SIZE | 816 x 1000 cm MINIMUM USE SIZE | 1166 x 1300 cm  
HIGHEST POINT | 370 cm NUMBER OF USERS | 20



### AP. 2115/A

UNIT SIZE | 260 x 450 cm MINIMUM USE SIZE | 560 x 760 cm

HIGHEST POINT | 370 cm NUMBER OF USERS | 6




### AP. 2110/A

UNIT SIZE | 460 x 610 cm MINIMUM USE SIZE | 760 x 910 cm


HIGHEST POINT | 410 cm NUMBER OF USERS | 14





### **SNAKE TINO XT110**

DIMENSIONS | length: 944 width: 240 age of use: >3



### **SNAKE LELLO XT120**

DIMENSIONS | length: 1260 width: 307 age of use: >3



**COMBINED STRUCTURE COUNTRY ROBINIA XR95 WITH TUNNEL SLIDE**



**PLAY TOWER COUNTRY ROBINIA XROT100 WITH TWO SLIDES**




**COMBINED STRUCTURE "VILLAGGIO ROBINIA" XR55**

**SPECIFICATIONS - tower with struts made of black locust (robinia pseudoacacia)**

- parapets and ramp with nonslip steps made of black locust - hexagonal roof made of black locust - stainless steel slide with sides made of HPL
- tunnel slide made of 100 % recyclable, rotationally-moulded polyethylene - kit with hot-dip galvanised bolts for assembly





### THREE TOWERS FUN OASIS XOA105 WITH BRIDGES AND TUBE SLIDES

DIMENSIONS | length: 986 width: 625 age of use: > 3



## TRACTOR WITH TRAILER COUNTRY ROBINIA XU30 + XU31

SPECIFICATIONS | - struts made of black locust (*robinia pseudoacacia*), diameter 10/12 cm - boards made of black locust (*robinia pseudoacacia*), thickness 3.3 cm and 4.3 cm  
- realistic wheels with tyre tread entirely made of black locust wood - turnable black steering wheel made of PE - kit with galvanised bolts for assembly





# | GAME PARKS





AMUSEMENT PARK



NATURE PARK



HISTORY PARK





SCIENCE PARK



MUSICAL PLAY







# | INCLUSIVE PLAY






INTERACTIVE INCLUSIVE PLAY



SWING - AP.1517



SPRING RIDER - ORB ROCKER



CAROUSEL - IP10



STRUCTURE - OXI XOXI700



CENTER INCLUSIVE



ELECTRONIC PLAY - CURIOSITY



MUSIC BOX



## FISH TUNNELS

FEATURES | A CREATIVE SLIDING PLATFORM WITH RAILINGS

UNIT SIZE | 480 x 490 cm

MINIMUM USE SIZE | 780 x 790 cm

HIGHEST POINT | 120 cm



## INCLUSIVE CLOUD PLAYGROUND

FEATURES | PLAY AREA WITH AN INCLUSIVE MODULE, VARIOUS GAMES AND EQUIPMENT IN A FUN DESIGN

UNIT SIZE | 1000 x 1060 cm

MINIMUM USE SIZE | 1300 x 1360 cm

HIGHEST POINT | 470 cm





# | STRUCTURES





**COMBINED PLAY FACILITY COUNTRY ROBINIA XRA202 WITH TWO SLIDES**



**TOWER COUNTRY ROBINIA XR150 WITH SLIDE**



**PLAY TOWER COUNTRY ROBINIA XRA100R WITH SLIDE H 144 CM**

**SPECIFICATIONS-** two towers with struts made of black locust (*robinia pseudoacacia*) - parapets and steps made of black locust  
 - pitched roofs made of black locust - connecting bridge with mobile joists and twisted ropes  
 - stainless steel slide with sides made of HPL - kit with hot-dip galvanised bolts for assembly





**DOUBLE TOWERS KALUBA XKA200 WITH ROOFS AND BRIDGE**

**DIMENSIONS** | length: 544  
width: 414 height: 326  
age of use: > 3 security area: 844x629



**TRIPLE TOWERS KALUBA KKA300 WITH ROOFS AND BRIDGES**

**DIMENSIONS** | length: 657  
width: 544 height: 340  
age of use: > 3 security area: 875x844



### **THREE TOWERS FUN OASIS XOA105 WITH BRIDGES AND TUBE SLIDES**

**DIMENSIONS | length: 986 width: 625 age of use: > 3**



### **THREE TOWERS FUN OASIS XOA103L WITH BRIDGES AND TUBE SLIDE**

**DIMENSIONS | length: 872 width: 824 age of use: > 3**





### **THREE TOWERS FUN OASIS XOA105 WITH BRIDGES AND TUBE SLIDES**

**DIMENSIONS | length: 986 width: 625 age of use: > 3**



### **THREE TOWERS FUN OASIS XOA103L WITH BRIDGES AND TUBE SLIDE**

**DIMENSIONS | length: 872 width: 824 age of use: > 3**



### **TWO TOWERS ALADIN XA202 WITH STEPS AND BRIDGE**

**DIMENSIONS** | length: 420 width: 312 age of use: > 3



### **TWO TOWERS ALADIN XA203P WITH STEPS, BRIDGE AND GYM**

**DIMENSIONS** | length: 675 width: 444 age of use: > 3



### **TWO TOWERS ALADIN XA203RP WITH RAMPS, BRIDGE AND GYM**

**DIMENSIONS** | length: 670 width: 396 age of use: >3

**SPECIFICATIONS** | 9X9CM CROSS-SECTION POLES IN 2-LAYER WOOD W/ PLASTIC CAP, ROTATIONALLY-MOULDED, RECYCLABLE POLYETHYLENE, HOT-GALVANIZED FIXING ACCESSORIES KIT, IN PLASTIC PLUGS





### **SPIRAL TOWER FUN OASIS XOA100LT WITH TUBE SLIDE**

**DIMENSIONS | 5610 x 4620 mm**



### **SPIRAL TOWER FUN OASIS WITH TUBE SLIDE**

**DIMENSIONS | 5610 x 4620 mm**



### **SPIRAL TOWER FUN OASIS XOA100LT WITH TUBE SLIDE**

**DIMENSIONS | 5610 x 4620 mm**

**SPECIFICATIONS |** - Glulam two-layer turned struts: diameter 12 cm + ground brackets - hexagonal plywood waterproof roof - non-slip plywood triangular platforms h 84/144/168 cm: 21 mm thick  
 - one-piece rotationally-moulded polyethylene bam bou parapets - one-piece rotationally-moulded polyethylene slides: h 84 cm + h 144 cm  
 - curved tube slide, h 168 cm, diameter 80 cm, with rotationally-moulded polyethylene elements - polyethylene is 100% recyclable - kit with galvanised bolts for assembly and plastic plug



### STRETCHING SUPPORT AND POLE XSP1

DIMENSIONS | 180 X 90 X 3000mm

SPECIFICATIONS | 9x9cm CROSS-SECTION POLES IN 2-LAYER WOOD W/ PLASTIC CAP, HOT-GALVANIZED FIXING ACCESSORIES KIT, IN PLASTIC PLUGS



### TILTED ABDOMINAL BENCH + EXERCISE TABLE SXP2


DIMENSIONS | 2230 X 800mm



### PARALLEL BARS WITH EXERCISE TABLE XSP3

DIMENSIONS | 2000 X 600mm





AP 2004 | 5800 X 9900 X 4500 mm  
AGE GROUP | 3-15 yrs



AP 2013 | 8200 X 11900 X 5300 mm  
AGE GROUP | 3-15 yrs



AP 2014 | 6700 X 8700 X 4500 mm  
AGE GROUP | 3-15 yrs



AP 2015 | 8800 X 9200 X 5300 mm  
AGE GROUP | 3-15 yrs





AP 2101 | 4600 X 4400 X 3100 mm  
AGE GROUP | 3-15 yrs



AP 2102 | 2800 X 4300 mm  
AGE GROUP | 3-15 yrs



AP 2202 | 9500 X 5500 X 4100 mm  
AGE GROUP | 3-15 yrs



AP 2104 | 4500 X 8300 X 3100 mm  
AGE GROUP | 3-15 yrs






AP 2203 | 4100 X 1300 X 3100 mm  
AGE GROUP | 3-15 yrs



AP 2204 | 4300 X 4900 X 3100 mm  
AGE GROUP | 3-15 yrs



AP 2210 | 13600 X 14000 X 4400 mm  
AGE GROUP | 3-15 yrs



AP 2211 | 940 X 1000 X 4300 mm  
AGE GROUP | 3-15 yrs





# | CLIMBING NETS





### DOUBLE CLIMBING NET XCAR20

DIMENSIONS | 1480 x 1030 x 1900mm



### CLIMBING NET/RUNGS XCAR21

DIMENSIONS | 1480 x 1030 x 1900mm



### NET CORNER/PULL-UP BAR GYM XSP33

DIMENSIONS | 1430 x 1120 x 1980mm

**SPECIFICATIONS** | Glulam two-layer wooden struts: cross section 9x9 cm - 16 mm twisted steel rope climbing nets covered in polypropylene - 50 mm plastic ball joints - column fixing with plastic "thimble" - ladder with 40 mm wooden rungs - shapes on polyethylene strut joint - kit with galvanised bolts for assembly and plastic plugs





**RECTANGULAR GYM XCPR10**

**DIMENSIONS** | 2550 x 1670 x 1980mm



**HEXAGONAL GYM XCPE10**

**DIMENSIONS** | 2170 x 2500 x 1980mm



**CLIMBING CORNER/PULL-UP BAR GYM XSP30**

**DIMENSIONS** | 1430 x 1120 x 1980mm

**SPECIFICATIONS** | Glulam two-layer wooden struts: cross section 9x9 cm - 16 mm twisted steel rope climbing nets covered in polypropylene - 50 mm plastic ball joints  
- column fixing with plastic "thimble" - ladder with 40 mm wooden rungs - shapes on polyethylene strut joint - kit with galvanised bolts for assembly and plastic plugs





**HEXAGONAL GYM AND CLIMBING FACILITY COUNTRY ROBINIA XCPE10R0B**



**OCTAGONAL GYM AND CLIMBING STRUCTURE COUNTRY ROBINIA XRP012**



**OCTAGONAL GYM COUNTRY ROBINIA XRP010**


**SPECIFICATIONS** - struts made of natural robinia pseudoacacia (black locust), diameter 12/13 cm - set of monkey bars with 40 mm rungs - 16 mm twisted steel rope climbing net with polypropylene coating - 16 mm twisted steel climbing rope with polypropylene coating - 50 mm plastic ball joints - pair of stainless steel coated rings + chain and revolving handgrips - tubular stainless steel horizontal bars for pull-ups - kit with hot-dip galvanised bolts





**THREE TOWERS FUN OASIS XOA105 WITH BRIDGES AND TUBE SLIDES**

DIMENSIONS | length: 986 width: 625 age of use: > 3



**THREE TOWERS FUN OASIS XOA103L WITH BRIDGES AND TUBE SLIDE**

DIMENSIONS | length: 872 width: 824 age of use: > 3





### **ROTATING PYRAMID ROTO300**


**DIMENSIONS | diameter: 300 height: 300 age of use: > 6**



### **ROTATING PYRAMID ROTO400**

**DIMENSIONS | diameter: 300 height: 400 age of use: > 6**






**AP.1718**


DIMENSIONS | 3000 X 3000 X 4000 mm

Age Group | 3 - 12 yrs




**AP.1716**

DIMENSIONS | 3000 X 3000 X 4000 mm




**AP.1717**

DIMENSIONS | 3300 X 6000 X 4300 mm



**AP.1715**  
DIMENSIONS | 6000 X 8500 X 4000 mm

Age Group | 3 - 12 yrs





**AP.1727**  
DIMENSIONS | 2700 X 2400 X 2300 mm



**AP.1728**  
DIMENSIONS | 4200 X 2700 X 2300 mm





**AP.1712 (Top)**  
 DIMENSIONS | 4300 X 9400 X 2500 mm

Age Group | 3 - 12 yrs


**AP.1711 (Below)**  
 DIMENSIONS | 3600 X 3600 X 2400 mm



**AP.1713**  
 DIMENSIONS | 4000 X 7800 X 1600 mm



**INT.101**  
DIMENSIONS | 4600 X 4600 X 4600 mm



**INT. 104**  
DIMENSIONS | 6700 X 7600 X 2700 mm



**INT. 105**  
DIMENSIONS | 8500 X 8800 X 2700 mm



**INT.102**  
DIMENSIONS | 6600 X 11000 X 2700 mm

Age Group | 5 - 8 yrs / 3-15 yrs




**INT. 103**  
DIMENSIONS | 6600 X 11000 X 2700 mm




**INT.106**  
DIMENSIONS | 11400 X 14000 X 2700 mm





**AP.1752**  
 DIMENSIONS | 6600 X 18000 X 2500 mm



**AP.1751**  
 DIMENSIONS | 5300 X 15000 X 4000 mm



**EG.101**  
 DIMENSIONS | 6600 X 11000 X 2700 mm  
 Age Group | 3 - 15 yrs




**EG.103**  
 DIMENSIONS | 6600 X 11000 X 2700 mm



### SPHERE AP.1759/A

DIMENSIONS | UNIT SIZE | 500 x 860 cm MINIMUM USE SIZE | 800 x 1210 cm  
HIGHEST POINT | 440 cm NUMBER OF USERS | 8



### SPACE AP.1760/A


DIMENSIONS | UNIT SIZE | 690 x 690 cm MINIMUM USE SIZE | 990 x 990 cm  
HIGHEST POINT | 370 cm NUMBER OF USERS | 14





### **BODRUM AP.2116/A**

**DIMENSIONS | UNIT SIZE | 816 x 1000 cm MINIMUM USE SIZE | 1166 x 1300 cm**  
**HIGHEST POINT | 370 cm NUMBER OF USERS | 20**



### **AP.1719**

**DIMENSIONS | length: 350 CM width: 380 CM age of use: 3-15**





### THREE TOWERS FUN OASIS X0A105 WITH BRIDGES AND TUBE SLIDES


DIMENSIONS | length: 986 width: 625 age of use: > 3



### THREE TOWERS FUN OASIS X0A103L WITH BRIDGES AND TUBE SLIDE

DIMENSIONS | length: 872 width: 824 age of use: > 3





# PLAY EQUIPMENT

**MODERN GARDENS FOR GARDENS EQUIPMENTS TRADING LLC**

PO Box 128619 Abu Dhabi UAE | Tel +971 2 650 8039 | Fax +971 2 673 5995

Email [moderngardens@gmail.com](mailto:moderngardens@gmail.com) | [marketing.moderngardens@gmail.com](mailto:marketing.moderngardens@gmail.com) | Website [moderngardensuae.com](http://moderngardensuae.com)