Modern Gardens

WOODEN PLAY EQUIPMENT

MODERN GARDENS FOR GARDENS EQUIPMENTS TRADING LLC

PO Box 128619 Abu Dhabi UAE | Tel **+971 2 650 8039** | Fax **+971 2 673 5995**
Email **moderngardens@gmail.com** | marketing.moderngardens@gmail.com | Website **moderngardensuae.com**

| PLAY EQUIPMENT

Modern Gardens

SINGLE-SEATER SWING CLASSIC XCAL11
DIMENSIONS | **2180** x 1740 mm

BASKET NEST SWING CLASSIC XCAL45
DIMENSIONS | **3450** x 1740 mm

TWO-SEATER SWING CLASSIC XCAL21
DIMENSIONS | **3450** x 1740 mm

XSAL41BTG

ORSY SWING SULTAN XSAL15 WITH TUBULAR METAL BEAM
DIMENSIONS | **2180** x 1740 mm

XSAL31BG

SPECIFICATIONS | Glulam two-layer struts: cross section 9x9 cm + ground bracket - rotationally-moulded polyethylene flower-shaped side gableboards - mounting height = 200 cm - dual self-lubricating bearing suspensions - galvanised tight loop chains, 6 mm wire, 8 mm internal span - polyethylene is 100% recyclable

TWO-SEATER SWING COUNTRY ROBINIA XRALF20
Information: length: 353 **width:** 180 **height:** 230 **age of use:** <3 / >3

KALUBA SWING XKAL120 WITH NEST SEAT
Information: length: 345 **width:** 174 **age of use:** 2-6

KALUBA SWING XKAL200 WITH 2 BUCKET SEATS
Information: length: 345 **width:** 174 **age of use:** <3 / >3

TOWER KALUBA XKA144
Information: length: 435 **width:** 88 **height:** 224 **age of use:** > 3

TOWER KALUBA XKA110 WITH BALCONY AND ROOF
Information: length: 350 **width:** 214 **height:** 326 **age of use:** > 3

BOWED TOWER KALUBA XKA112 WITH ROOF
Information: length: 394 **width:** 279 **height:** 339 **age of use:** > 3

SPECIFICATIONS | Glulam two-layer struts: cross section 9x9 cm + ground bracket - rotationally-moulded polyethylene flower-shaped side gableboards - mounting height = 200 cm - dual self-lubricating bearing suspensions - galvanised tight loop chains, 6 mm wire, 8 mm internal span - polyethylene is 100% recyclable

DOUBLE TOWERS KALUBA XKA200 WITH ROOFS AND BRIDGE

DIMENSIONS | **length:** 544
width: 414 **height:** 326
age of use: > 3 **security area:** 844x629

TRIPLE TOWERS KALUBA KKA300 WITH ROOFS AND BRIDGES

DIMENSIONS | **length:** 657
width: 544 **height:** 340
age of use: > 3 **security area:** 875x844

CLIMBING NET/RUNGS XCAR11
DIMENSIONS | 1030 x 1030 x 1300mm

DOUBLE CLIMBING NET XCAR20
DIMENSIONS | 1480 x 1030 x 1900mm

CLIMBING NET/RUNGS XCAR21
DIMENSIONS | 1480 x 1030 x 1900mm

SPECIFICATIONS | Glulam two-layer wooden struts: cross section 9x9 cm - 16 mm twisted steel rope climbing nets covered in polypropylene - 50 mm plastic ball joints - column fixing with plastic “thimble” - ladder with 40 mm wooden rungs - shapes on polyethylene strut joint - kit with galvanised bolts for assembly and plastic plugs

DOUBLE CLIMBING NET XCAR10

DIMENSIONS | 1030 x 1030 x 1300mm

NET CORNER/PULL-UP BAR GYM XSP33

DIMENSIONS | 1430 x 1120 x 1980mm



CLIMBING CORNER/PULL-UP BAR GYM XSP30

DIMENSIONS | 1430 x 1120 x 1980mm

SPECIFICATIONS | Glulam two-layer wooden struts: cross section 9x9 cm - 16 mm twisted steel rope climbing nets covered in polypropylene - 50 mm plastic ball joints - column fixing with plastic “thimble” - ladder with 40 mm wooden rungs - shapes on polyethylene strut joint - kit with galvanised bolts for assembly and plastic plugs

NET CORNER/WALL BAR GYM XSP31
DIMENSIONS | 1430 x 1120 x 1980mm

RECTANGULAR GYM XCPR10
DIMENSIONS | 2550 x 1670 x 1980mm

HEXAGONAL GYM XCPE10
DIMENSIONS | 2170 x 2500 x 1980mm

SPECIFICATIONS | Glulam two-layer wooden struts: cross section 9x9 cm - 16 mm twisted steel rope climbing nets covered in polypropylene - 50 mm plastic ball joints - column fixing with plastic “thimble” - ladder with 40 mm wooden rungs - shapes on polyethylene strut joint - kit with galvanised bolts for assembly and plastic plugs

HEXAGONAL GYM AND CLIMBING FACILITY COUNTRY ROBINIA XCPE10ROB

OCTAGONAL GYM AND CLIMBING STRUCTURE COUNTRY ROBINIA XRP012

OCTAGONAL GYM COUNTRY ROBINIA XRP010

SPECIFICATIONS - struts made of natural robinia pseudoacacia (black locust), diameter 12/13 cm - set of monkey bars with 40 mm rungs - 16 mm twisted steel rope climbing net with polypropylene coating - 16 mm twisted steel climbing rope with polypropylene coating - 50 mm plastic ball joints - pair of stainless steel coated rings + chain and revolving handgrips - tubular stainless steel horizontal bars for pull-ups - kit with hot-dip galvanised bolts

CLASSIC TOT HOUSE XC01
DIMENSIONS | 2000 x 1710 mm



MULTI 3 XC03 TOT HOUSE + PUSHCHAIR RAMP
DIMENSIONS | 5120 x 2150 mm

MULTI 2 XC02 TOT HOUSE
DIMENSIONS | 2150 x 2150 mm

COTTAGE XS12 WOODEN TOT HOUSE WITH RAMP/SLIDE
DIMENSIONS | 3380 x 1920 mm

CASABLANCA XS11 WOODEN TOT HOUSE WITH RAMP/SLIDE
DIMENSIONS | 3280 x 1850 mm

MINOS XS40 CRAWL-THROUGH LABYRINTH
DIMENSIONS | 3720 x 2510 mm

SPECIFICATIONS | - Glulam two-layer struts: cross section 9x9 cm - bevelled solid wood floorboard: 33 mm thick - plywood walls (three layers): 19 mm thick
- rotationally-moulded, recyclable polyethylene two-pitched roof - two seats/table made of non-slip plywood: 21 mm thick - one non-slip plywood sales shelf: 21 mm thick

TOT HOUSE COUNTRY ROBINIA XR10 MADE OF BLACK LOCUST
DIMENSIONS | **length:** 160, **width:** 168, **seat height:** 53, **age of use:** 2 - 8

TOT HOUSE COUNTRY ROBINIA XR12

TOT HOUSE COUNTRY ROBINIA XR20

PLAY TOWER COUNTRY ROBINIA XROM10 WITH THREE SLIDES

SPECIFICATIONS | - struts made of black locust (Robinia Pseudoacacia), diameter 12/14 cm
- platform, roof and railings are made of black locust - kit with hot-dip galvanised bolts for assembly

COMBINED PLAY FACILITY COUNTRY ROBINIA XRA202 WITH TWO SLIDES

TOWER COUNTRY ROBINIA XR150 WITH SLIDE

PLAY TOWER COUNTRY ROBINIA XRA100R WITH SLIDE H 144 CM

SPECIFICATIONS- two towers with struts made of black locust (robinia pseudoacacia) - parapets and steps made of black locust
- pitched roofs made of black locust - connecting bridge with mobile joists and twisted ropes
- stainless steel slide with sides made of HPL - kit with hot-dip galvanised bolts for assembly

COMBINED STRUCTURE COUNTRY ROBINIA XR95 WITH TUNNEL SLIDE

PLAY TOWER COUNTRY ROBINIA XROT100 WITH TWO SLIDES

COMBINED STRUCTURE "VILLAGGIO ROBINIA" XR55

SPECIFICATIONS - tower with struts made of black locust (robinia pseudoacacia)
- parapets and ramp with nonslip steps made of black locust - hexagonal roof made of black locust - stainless steel slide with sides made of HPL
- tunnel slide made of 100 % recyclable, rotationally-moulded polyethylene - kit with hot-dip galvanised bolts for assembly

TRACTOR WITH TRAILER COUNTRY ROBINIA XU30 + XU31

SPECIFICATIONS | - struts made of black locust (robinia pseudoacacia), diameter 10/12 cm - boards made of black locust (robinia pseudoacacia), thickness 3.3 cm and 4.3 cm
- realistic wheels with tyre tread entirely made of black locust wood - turnable black steering wheel made of PE - kit with galvanised bolts for assembly

SPRING RIDER GUFY XRM13

DIMENSIONS | **diameter:** 22/24 **seat height:** 60 **age of use:** 3-8

SPRING RIDER AMY XRM03

DIMENSIONS | **length:** 60 **width:** 38
seat height: 58 **age of use:** 3-8

SPRING RIDER BETTY XRM01

DIMENSIONS | **length:** 60 **width:** 38
seat height: 58 **age of use:** 3-8

SPECIFICATIONS | - shaped body made of hand-carved black locust wood - varnished with non-toxic and ecofriendly watercolours - the body is fixed on an "Eibach"-spring, diameter 20 cm, in HD-version (reinforced) - endowed with two footrests and hand grip made of stainless steel - Fe 360 galvanised base for cementing

TWO-SPRING SEESAW BETTY&NELLY XRM02

DIMENSIONS | **length:** 150 **width:** 125
seat height: 60 **age of use:** 3-8

SPRING RIDER SELLY XRM04N

DIMENSIONS | **length:** 60 **width:** 38
seat height: 58 **age of use:** 3-8

SPRING RIDER SELLY XRM04

DIMENSIONS | **length:** 60 **width:** 38
seat height: 58 **age of use:** 3-8

SPECIFICATIONS | - shaped body made of hand-carved black locust wood - varnished with non-toxic and ecofriendly watercolours - the body is fixed on an "Eibach"-spring, diameter 20 cm, in HD-version (reinforced) - endowed with two footrests and hand grip made of stainless steel - Fe 360 galvanised base for cementing

ROUNDABOUT ROTORSO WITH BEAR XCRG151

ROUNDABOUT ROTOGUFO WITH OWL XCRG149

RONNY XRS01

SPECIFICATIONS | - hand-carved bear made of black locust wood - varnished with non-toxic and ecofriendly water-based colours - hot-dip galvanised rotating mechanism - non-slip plywood floor - tubular stainless steel hand grips



SNOWCAT XU10 WITH TUBE SLIDE

SPECIFICATIONS | - frame made of bilam posts 9x9 cm - windshield made of plexiglass 8 mm strong - tube slide elements rotationally moulded - panels/decoration made of three layer polyethylene 19 mm strong - steering wheel - no. 3 activity panels (1 x xpa12, 2 x xpa13) - hot dip galvanized screws and plastic covers



SNAKE TINO XT110

DIMENSIONS | **length:** 944 **width:** 240 **age of use:** >3



SNAKE LELLO XT120

DIMENSIONS | **length:** 1260 **width:** 307 **age of use:** >3



SHIP X063 WITH SLIDE
DIMENSIONS | **length:** 733 **width:** 228 **age of use:** > 3

CASTLE DIRONDELLO XT100
DIMENSIONS | **length:** 339 **width:** 313 **height:** 266 **age of use:** >3



THREE TOWERS FUN OASIS XOA105 WITH BRIDGES AND TUBE SLIDES

DIMENSIONS | **length:** 986 **width:** 625 **age of use:** > 3

SPIRAL TOWER FUN OASIS XOA100LT WITH TUBE SLIDE

DIMENSIONS | 5610 x 4620 mm

SPIRAL TOWER FUN OASIS WITH TUBE SLIDE

DIMENSIONS | 5610 x 4620 mm

SPIRAL TOWER FUN OASIS XOA100LT WITH TUBE SLIDE

DIMENSIONS | 5610 x 4620 mm

SPECIFICATIONS | - Glulam two-layer turned struts: diameter 12 cm + ground brackets - hexagonal plywood waterproof roof - non-slip plywood triangular platforms h 84/144/168 cm: 21 mm thick
- one-piece rotationally-moulded polyethylene bam bou parapets - one-piece rotationally-moulded polyethylene slides: h 84 cm + h 144 cm
- curved tube slide, h 168 cm, diameter 80 cm, with rotationally-moulded polyethylene elements - polyethylene is 100% recyclable - kit with galvanised bolts for assembly and plastic plug

THREE TOWERS FUN OASIS XOA105 WITH BRIDGES AND TUBE SLIDES

DIMENSIONS | **length:** 986 **width:** 625 **age of use:** > 3

THREE TOWERS FUN OASIS XOA103L WITH BRIDGES AND TUBE SLIDE

DIMENSIONS | **length:** 872 **width:** 824 **age of use:** > 3

STRETCHING SUPPORT AND POLE XSP1

DIMENSIONS | **length:** 231 **width:** 163 **age of use:** 2-6

TOWER ALADIN XA90R WITH RAMP

DIMENSIONS | **length:** 231 **width:** 153 **age of use:** 2-6

TOWER ALADIN XA100

DIMENSIONS | **length:** 312 **width:** 220 **age of use:** > 3

SPECIFICATIONS | 9X9CM CROSS-SECTION POLES IN 2-LAYER WOOD W/ PLASTIC CAP, ROTATIONALLY-MOULDED, RECYCLABLE POLYETHYLENE, HOT-GALVANIZED FIXING ACCESSORIES KIT, IN PLASTIC PLUGS

TOWER ALADIN XA100RA WITH RAMP AND SWING

DIMENSIONS | **length:** 650 **width:** 182 **age of use:** > 3

TOWER ALADIN XA100RAP WITH RAMP, SWING AND GYM

DIMENSIONS | **length:** 648 **width:** 424 **age of use:** > 3

TOWER ALADIN XA100RP WITH RAMP AND GYM

DIMENSIONS | **length:** 423 **width:** 313 **age of use:** > 3

SPECIFICATIONS | 9X9CM CROSS-SECTION POLES IN 2-LAYER WOOD W/ PLASTIC CAP, ROTATIONALLY-MOULDED, RECYCLABLE POLYETHYLENE, HOT-GALVANIZED FIXING ACCESSORIES KIT, IN PLASTIC PLUGS

DOUBLE TOWER ALADIN XA205 WITH RAMP

DIMENSIONS | **length:** 456 **width:** 234 **age of use:** > 3

DOUBLE TOWER ALADIN XA205RP WITH RAMP AND GYM

DIMENSIONS | **length:** 489 **width:** 456 **age of use:** > 3

TOWER ALADIN XA480 WITH ACTIVITY PANEL

DIMENSIONS | **length:** 310 **width:** 167 **age of use:** >3

SPECIFICATIONS | 9X9CM CROSS-SECTION POLES IN 2-LAYER WOOD W/ PLASTIC CAP, ROTATIONALLY-MOULDED, RECYCLABLE POLYETHYLENE, HOT-GALVANIZED FIXING ACCESSORIES KIT, IN PLASTIC PLUGS

TWO TOWERS ALADIN XA202 WITH STEPS AND BRIDGE

DIMENSIONS | **length:** 420 **width:** 312 **age of use:** > 3

TWO TOWERS ALADIN XA203P WITH STEPS, BRIDGE AND GYM

DIMENSIONS | **length:** 675 **width:** 444 **age of use:** > 3

TWO TOWERS ALADIN XA203RP WITH RAMPS, BRIDGE AND GYM

DIMENSIONS | **length:** 670 **width:** 396 **age of use:** >3

SPECIFICATIONS | 9X9CM CROSS-SECTION POLES IN 2-LAYER WOOD W/ PLASTIC CAP, ROTATIONALLY-MOULDED, RECYCLABLE POLYETHYLENE, HOT-GALVANIZED FIXING ACCESSORIES KIT, IN PLASTIC PLUGS

STRETCHING SUPPORT AND POLE XSP1
DIMENSIONS | 180 X 90 X 3000mm

TILTED ABDOMINAL BENCH + EXCISE TABLE SXP2
DIMENSIONS | 2230 X 800mm

PARALLEL BARS WITH EXCISE TABLE XSP3
DIMENSIONS | 2000 X 600mm

SPECIFICATIONS | 9x9cm CROSS-SECTION POLES IN 2-LAYER WOOD W/ PLASTIC CAP, HOT-GALVANIZED FIXING ACCESSORIES KIT, IN PLASTIC PLUGS

AP 2004 | **5800 X 9900 X 4500 mm**
AGE GROUP | **3-15 yrs**

AP 2013 | **8200 X 11900 X 5300 mm**
AGE GROUP | **3-15 yrs**

AP 2014 | **6700 X 8700 X 4500 mm**
AGE GROUP | **3-15 yrs**

AP 2015 | **8800 X 9200 X 5300 mm**
AGE GROUP | **3-15 yrs**

AP 2101 | **4600 X 4400 X 3100 mm**
AGE GROUP | **3-15 yrs**

AP 2102 | **2800 X 4300 mm**
AGE GROUP | **3-15 yrs**

AP 2202 | **9500 X 5500 X 4100 mm**
AGE GROUP | **3-15 yrs**

AP 2104 | **4500 X 8300 X 3100 mm**
AGE GROUP | **3-15 yrs**

AP 2203 | **4100 X 1300 X 3100 mm**
AGE GROUP | **3-15 yrs**

AP 2204 | **4300 X 4900 X 3100 mm**
AGE GROUP | **3-15 yrs**

AP 2210 | **13600 X 14000 X 4400 mm**
AGE GROUP | **3-15 yrs**

AP 2211 | **940 X 1000 X 4300 mm**
AGE GROUP | **3-15 yrs**

LIGHTHOUSE
AP.2113/A
UNIT SIZE | **985 x 1850 cm** MINIMUM USE SIZE | **1285 x 2200 cm**
HIGHEST POINT | **940 cm** NUMBER OF USERS | **28**

TOWER
AP.1758/A
UNIT SIZE | **420 x 630 cm** MINIMUM USE SIZE | **770 x 930 cm**
HIGHEST POINT | **490 cm** NUMBER OF USERS | **13**



HOME
AP.2114/A

UNIT SIZE | 985 x 1190 cm MINIMUM USE SIZE | 1285 x 1490 cm HIGHEST POINT | 500 cm NUMBER OF USERS | 26

AP.2109/A

UNIT SIZE | 540 x 700 cm MINIMUM USE SIZE | 840 x 1000 cm HIGHEST POINT | 270 cm NUMBER OF USERS | 14

WOODIA
AP.2212/A

UNIT SIZE | 490 x 970 cm MINIMUM USE SIZE | 790 x 1270 cm
HIGHEST POINT | 490 cm NUMBER OF USERS | 16

BODRUM
AP.2116/A

UNIT SIZE | 816 x 1000 cm MINIMUM USE SIZE | 1166 x 1300 cm
HIGHEST POINT | 370 cm NUMBER OF USERS | 20

AP. 2115/A

UNIT SIZE | 260 x 450 cm MINIMUM USE SIZE | 560 x 760 cm
HIGHEST POINT | 370 cm NUMBER OF USERS | 6

AP. 2110/A

UNIT SIZE | 460 x 610 cm MINIMUM USE SIZE | 760 x 910 cm
HIGHEST POINT | 410 cm NUMBER OF USERS | 14

AP. 1553
CAPACITY | 2 AGE GROUP | 3-15 yrs



AP. 1551
AP. 1554



SINGLE SEESAW XCD20

DIMENSIONS | 370 X 4000mm SEAT HEIGHT | 360 / 840mm
AGE GROUP | 3-15 yrs FALL HEIGHT | 990mm



SINGLE SEESAW XCD40

DIMENSIONS | 370 X 4000mm SEAT HEIGHT | 360 / 840mm
AGE GROUP | 3-15 yrs FALL HEIGHT | 990mm

Modern Gardens

WOODEN PLAY EQUIPMENT

MODERN GARDENS FOR GARDENS EQUIPMENTS TRADING LLC

PO Box 128619 Abu Dhabi UAE | Tel **+971 2 650 8039** | Fax **+971 2 673 5995**
Email **moderngardens@gmail.com** | marketing.moderngardens@gmail.com | Website **moderngardensuae.com**