11TH YEAR Modern Gardens

WOOD MATERIAL

MODERN GARDENS FOR GARDENS EQUIPMENTS TRADING LLC

PO Box 128619 Abu Dhabi UAE | Tel **+971 2 650 8039** | Fax **+971 2 673 5995**
Email **moderngardens@gmail.com** | marketing.moderngardens@gmail.com | Website **moderngardensuae.com**

| BENCHES

PIREO WOOD BENCH
WITH BACKREST

TAURI CLASSIC WOOD BENCH
WITH BACKREST

TAURI WOOD BENCH
WITH BACKREST

PIREO WOOD BENCH
WITHOUT BACKREST

TAURI CLASSIC WOOD BENCH
WITHOUT BACKREST

TAURI WOOD BENCH
WITHOUT BACKREST

MATERIALS | GALVANIZED STEEL, POWER COATED AND HARDWOOD TIMBER

DRESDA BENCH

OSLO BENCH

RODA BENCH

LIPSIA BENCH

CRETA BENCH

RODA BENCH
WITH EXOTIC WOOD

MATERIALS | GALVANIZED STEEL, POWER COATED AND HARDWOOD TIMBER

CIPRO BENCH
WITH BACKREST

CIPRO BENCH
WITHOUT BACKREST

RIVIERA BENCH
WITH BACKREST

LITHOS DOPPIA



LITHOS SEDUTA MOD.A

LITHOS SEDUTA MOD.B

MATERIALS | GALVANIZED STEEL, POWER COATED AND HARDWOOD TIMBER

CHAISE BENCH

MATERIALS | Available in Single & Double Configurations | Width: 600mm or 1200mm, Mild Steel Construction, Hot Dip Galvanised, Hardwood Timber Slats, Bolt Down Attachment, Powder Coat Finish

CIVIC BENCH

MATERIALS | Mild Steel Frame, Hardwood Timber or Aluminum Slats, Length 1800 mm Concealed Bolt Down Attachment, Powder Coat or Mill Finish

DELTA BENCH

MATERIALS | Cast Aluminum Construction, Hardwood Timber Slats Length 1800 mm, Bolt Down Attachment, Powder Coat or Mill Finish

FIESTA BENCH

MATERIALS | Cast Aluminum Construction, Hardwood Timber Slats Length 1800 mm, Bolt Down Attachment, Powder Coat Finish

FORESHORE BENCH

MATERIALS | Cast Aluminum Construction, Hardwood Timber Slats
Length 1800 mm, Bolt Down Attachment, Powder Coat Finish

FRANKSTON BENCH

MATERIALS | Mild Steel Construction, Hot Dipped Galvanized, Hardwood Timber Slats, Length 1800 mm
Bolt Down or In Ground Attachment, Powder Coat Finish

FULCRUM BENCH

MATERIALS | Mild Steel Construction, Hot Dipped Galvanized
Hardwood Timber Slats, Length 1800 mm, Bolt Down or In Ground Attachment, Powder Coat Finish

LYNDARUM BENCH

MATERIALS | 304 Grade Stainless Steel Construction, Hardwood Timber Slats
Length 1800 mm, Also Available With Armrests, Bolt Down or In Ground Attachment

METRO BENCH

MATERIALS | Cast Aluminum Construction, Polished Arm Rests, Hardwood Timber or Aluminum Slats, Length 1800 mm, Concealed Bolt Down Attachment, Powder Coat or Mill Finish

PARK BENCH

MATERIALS | Mild Steel Construction, Hot Dipped Galvanized, Hardwood Timber Slats, Length 1800 mm Bolt Down Attachments, Powder Coat Finish

PROMENADE BENCH

MATERIALS | Cast Aluminum Construction, Polished Arm Rests, 304 Grade Stainless Steel Legs, Hardwood Timber or Aluminum Slats, Length 1800 mm, Bolt Down or In Ground Attachment, Powder Coat or Mill Finish

PREMIER BENCH

MATERIALS | Cast Aluminum Construction, Hardwood Timber Slats Length 1800 mm, Bolt Down Attachment, Powder Coat Finish

ROTHERMAN BENCH

MATERIALS | Cast Aluminum Construction, Hardwood Timber Slats, Length 1800 mm
Bolt Down Attachment, Powder Coat Finish

WOODGROVE BENCH

MATERIALS | Mild Steel Construction, Hot Dipped Galvanized, Hardwood Timber or Aluminum Slats
Length 1800 mm, Bolt Down or In Ground Attachment, Powder Coat Finish



CUSTOMIZED BENCH DESIGNS

MATERIALS | CAST ALUMINUM AND HARDWOOD TIMBER

AP. 5001
DIMENSIONS | 700 x 1700 x 790mm

AP. 5003
DIMENSIONS | 770 x 1630 x 900mm

AP. 5011
DIMENSIONS | 550 x 1620 x 800mm

AP. 5002
DIMENSIONS | 1300 x 1720 x 800mm

AP. 5004
DIMENSIONS | 1440 x 1630 x 900mm

AP. 5012
DIMENSIONS | 450 x 1620 x 640mm

SPECIFICATIONS METAL TYPE | **LASER CUTTING** WOOD TYPE | **1. CLASS IMPORTED SCOTS PINE** METAL PAINT | **ELECTROSTATIC PAINT** PAINTING METHOD | **VACUUM IMPREGNATION**

AP. 5006
DIMENSIONS | 700 x 1560 x 780mm

AP. 5018
DIMENSIONS | 540 x 1700 x 500mm

AP. 5014
DIMENSIONS | 700 x 1800 x 800mm

AP. 5007
DIMENSIONS | 640 x 1490 x 830mm

AP. 5021
DIMENSIONS | 600 x 1100 x 750mm

AP. 5015
DIMENSIONS | 550 x 1450 x 800mm

SPECIFICATIONS METAL TYPE | **LASER CUTTING** WOOD TYPE | **1. CLASS IMPORTED SCOTS PINE / VERZALIT** METAL PAINT | **ELECTROSTATIC PAINT** PAINTING METHOD | **VACUUM IMPREGNATION**

AP. 5023
DIMENSIONS | 550 x 3450 x 450mm

AP. 5009
DIMENSIONS | 460 x 1610 x 460mm

AP. 5027
DIMENSIONS | 500 x 1630 x 450mm



AP. 5022
DIMENSIONS | 550 x 3450 x 450mm

AP. 5029
DIMENSIONS | 550 x 1590 x 480mm

AP. 5026
DIMENSIONS | 450 x 1630 x 500mm

SPECIFICATIONS METAL TYPE | **STAINLESS STEEL LASER CUTTING** WOOD TYPE | **IMPORTED SAPELE WOOD** METAL PAINT | **POLISHING 304 SS** PAINTING METHOD | **WOOD PROTECTIVE PAINT**

BENCH SIENA / PSI01

DIMENSIONS | 1920mm x 570mm 420/800cm SEAT HEIGHT | 420mm

SPECIFICATIONS | Bench consisting of tubular frame in hot-galvanized and painted steel, seat and backrest with 8 beveled and rounded boards, thickness 43 mm, painted in pale walnut, drilled with holes for anchoring to ground.

BENCH COMFORT / PCF195

DIMENSIONS | 1940 x 570 x 400/790mm

SPECIFICATIONS | Seat/backrest with six beveled and rounded boards, thickness 43 mm.

BENCH VENEZIA / PVE01

DIMENSIONS | 1870 x 620 x 800mm

BENCH PICADILLY / PCY150

DIMENSIONS | 1500 x 600 x 920mm

BENCH VERONA / PVR01

DIMENSIONS | 1940 x 570 x 800mm

SPECIFICATIONS | Tubular frame in hot-galvanized / hot-galvanized and painted steel, seat/backrest with six beveled and rounded boards, thickness 43 mm, drilled with holes for anchoring to ground.

BENCH RIVA / PRI195

DIMENSIONS | 1500 x 1500 x 640mm

SPECIFICATIONS | Tubular frame in hot-galvanized steel, seat/backrest with seven beveled and rounded boards, thickness 43 mm, prearranged only for cementing to the ground.

BENCH ROMA / PRM01P DIMENSIONS | 1500 x 1500 x 640mm

SPECIFICATIONS | Seat/backrest with eleven beveled and rounded boards, thickness 43 mm, painted in pale walnut, three stays in hot-galvanized and painted steel, drilled with holes for anchoring to ground.

BENCH TORINO / PBGL175

DIMENSIONS | 1750/194 x 570 x 790mm

SPECIFICATIONS | Frame in steel “U” profiles, hot-galvanized / hot-galvanized and painted, seat/backrest with five rounded and stondate boards, thickness 33 or 43 mm.

AP. 5159
DIMENSIONS | 2080 x 2400 x 830mm

AP. 5160
DIMENSIONS | 2900 x 2900 x 830mm

AP. 5161
DIMENSIONS | 1500 x 1500 x 640mm

SPECIFICATIONS: METAL TYPE | **BOX PROFILE** WOOD TYPE | **WOOD PLASTIC COMPOSITE** METAL PAINT | **ELECTROSTATIC PAINT**

AP. 5030
DIMENSIONS | 500 x 3080 x 800mm



AP. 5031
DIMENSIONS | 840 x 2520 x 770mm



AP. 5032
DIMENSIONS | 430 x 1610 x 470mm

SPECIFICATIONS METAL TYPE | **LAZER CUTTING** WOOD TYPE | **1. CLASS IMPORTED SCOTS PINE** METAL PAINT | **ELECTROSTATIC PAINT** PAINTING METHOD | **WOOD PROTECTIVE PAINT**

AP. 5050
DIMENSIONS | 700 x 1700 x 790mm

AP. 5052
DIMENSIONS | 770 x 1630 x 900mm

AP. 5054
DIMENSIONS | 750 x 1500 x 700mm

AP. 5051
DIMENSIONS | 1300 x 1720 x 800mm

AP. 5053
DIMENSIONS | 1440 x 1630 x 900mm

AP. 5055
DIMENSIONS | 1460 x 1500 x 700mm

SPECIFICATIONS METAL TYPE | **STAINLESS STEEL LASER CUTTING** WOOD TYPE | **IMPORTED SAPELE WOOD** METAL PAINT | **POLISHING 304 SS** PAINTING METHOD | **WOOD PROTECTIVE PAINT**

AP. 5057
DIMENSIONS | 600 x 1500 x 860mm

AP. 5070
DIMENSIONS | 470 x 1560 x 430mm



AP. 5078
DIMENSIONS | 1600 x 1600 x 600mm

AP. 5058
DIMENSIONS | 460 x 1610 x 460mm

AP. 5071
DIMENSIONS | 470 x 1810 x 440mm

AP. 5077
DIMENSIONS | 2830 x 680 x 830mm

SPECIFICATIONS METAL TYPE | **STAINLESS STEEL LASER CUTTING** WOOD TYPE | **IMPORTED SAPELE WOOD** METAL PAINT | **POLISHING 304 SS** PAINTING METHOD | **WOOD PROTECTIVE PAINT**

AP. 5062
DIMENSIONS | 770 x 1630 x 900mm

AP. 5064
DIMENSIONS | 600 x 1500 x 860mm

AP. 5069
DIMENSIONS | 550 x 1800 x 720mm

AP. 5063
DIMENSIONS | 500 x 1350 x 450mm

AP. 5065
DIMENSIONS | 600 x 1500 x 860mm

AP. 5068
DIMENSIONS | 500 x 1820 x 660mm

SPECIFICATIONS METAL TYPE | **STAINLESS STEEL LASER CUTTING** WOOD TYPE | **IMPORTED SAPELE WOOD** METAL PAINT | **POLISHING 304 SS** PAINTING METHOD | **WOOD PROTECTIVE PAINT**

AP. 5152
DIMENSIONS | 680 x 1500 x 750mm

AP. 5154
DIMENSIONS | 600 x 1500 x 860mm

AP. 5151
DIMENSIONS | 770 x 1630 x 900mm

AP. 5155
DIMENSIONS | 460 x 1610 x 460mm

SPECIFICATIONS METAL TYPE | **LASER CUTTING** WOOD TYPE | **WOOD PLASTIC COMPOSITE** METAL PAINT | **ELECTROSTATIC PAINT**

| LITTER BINS

ABU DHABI LITTER BIN

SPECIFICATIONS | GALVANIZED AND POWDER COATED,
625mm x 586mm x 1100mm

BASKET WOOD LITTER BIN

SPECIFICATIONS | STEEL SHEETS COVERED WITH PINE WOODEN SLATS, DIFFERENT RAL COLORS ⌀483 x 1000mm

CAMPING LITTER BIN

SPECIFICATIONS | PINE WOODEN SLATS, STEEL TUBE SUPPORT ⌀333 x 1200mm,

WOODGROVE LITTER BIN

SPECIFICATIONS | HARDWOOD TIMBER SLATS, MILD STEEL, HOT DIPPED GALVANIZED, LOCKABLE DOOR ENTRY

ROADSIDE LITTER BIN

SPECIFICATIONS | HARDWOOD TIMBER SLATS, MILD STAINLESS STEEL AND POWDER COATED FINISH, LASER CUT LOGO AND TEXT

AVENUE LITTER BIN

SPECIFICATIONS | HARDWOOD TIMBER SLATS, MILD STAINLESS STEEL AND POWDER COATED FINISH,
LOCKABLE DOOR ENTRY

FRANCISCO LITTER BIN

SPECIFICATIONS | SQUARE SHAPE MADE OF A FRAME IN SQUARE TUBE 50x50mm AND COVERED WITH WOODEN SLATS 95x20mm.

MARTE LITTER BIN

DIMENSIONS | 530 x 699 x 750mm

AP. 5454
DIMENSIONS | 490 x 470 x 800mm

AP. 5509
DIMENSIONS | 450 x 800 x 900mm

AP. 5351
DIMENSIONS | 520 x 520 x 780mm

SPECIFICATIONS METAL TYPE | **ALUMINUM BENDED SHEET** METAL PAINT | **ELECTROSTATIC PAINT** WOOD TYPE | **IMPORTED SAPELE WOOD**

AP. 5312
DIMENSIONS | 800 x 800 x 750mm

AP. 5352
DIMENSIONS | 600 x 600 x 750mm

AP. 5352
DIMENSIONS | 600 x 600 x 750mm

SPECIFICATIONS METAL TYPE | **PIPE PROFILE & BOX PROFILE** METAL PAINT | **ELECTROSTATIC PAINT** WOOD TYPE | **CLASS IMPORTED YELLOW PINE**

AP. 5354
DIMENSIONS | 450 x 450 x 620mm

AP. 5355
DIMENSIONS | 450 x 450 x 620mm

AP. 5356
DIMENSIONS | 400 x 400 x 600mm

SPECIFICATIONS METAL TYPE | **BOX PROFILE** METAL PAINT | **ELECTROSTATIC PAINT** WOOD TYPE | **CLASS IMPORTED YELLOW PINE** WOOD PAINT | **VACUUM IMPREGNATION**

AP. 5451
DIMENSIONS | 450 x 450 x 830mm

AP. 5452
DIMENSIONS | 450 x 450 x 850mm

AP. 5453
DIMENSIONS | 500 x 500 x 800mm

SPECIFICATIONS METAL TYPE | **LAZER CUT SHEET METAL** METAL PAINT | **ELECTROSTATIC PAINT** WOOD TYPE | **WOOD PLASTIC COMPOSITE**

| PLAY EQUIPMENT

SINGLE-SEATER SWING CLASSIC XCAL11
DIMENSIONS | **2180** x 1740 mm

BASKET NEST SWING CLASSIC XCAL45
DIMENSIONS | **3450** x 1740 mm

TWO-SEATER SWING CLASSIC XCAL21
DIMENSIONS | **3450** x 1740 mm

XSAL41BTG

ORSY SWING SULTAN XSAL15 WITH TUBULAR METAL BEAM
DIMENSIONS | **2180** x 1740 mm

XSAL31BG

SPECIFICATIONS | Glulam two-layer struts: cross section 9x9 cm + ground bracket - rotationally-moulded polyethylene flower-shaped side gableboards - mounting height = 200 cm - dual self-lubricating bearing suspensions - galvanised tight loop chains, 6 mm wire, 8 mm internal span - polyethylene is 100% recyclable

TWO-SEATER SWING COUNTRY ROBINIA XRALF20
Information: length: 353 **width:** 180 **height:** 230 **age of use:** <3 / >3

KALUBA SWING XKAL120 WITH NEST SEAT
Information: length: 345 **width:** 174 **age of use:** 2-6

KALUBA SWING XKAL200 WITH 2 BUCKET SEATS
Information: length: 345 **width:** 174 **age of use:** <3 / >3

TOWER KALUBA XKA144
Information: length: 435 **width:** 88 **height:** 224 **age of use:** > 3

TOWER KALUBA XKA110 WITH BALCONY AND ROOF
Information: length: 350 **width:** 214 **height:** 326 **age of use:** > 3

BOWED TOWER KALUBA XKA112 WITH ROOF
Information: length: 394 **width:** 279 **height:** 339 **age of use:** > 3

SPECIFICATIONS | Glulam two-layer struts: cross section 9x9 cm + ground bracket - rotationally-moulded polyethylene flower-shaped side gableboards - mounting height = 200 cm - dual self-lubricating bearing suspensions - galvanised tight loop chains, 6 mm wire, 8 mm internal span - polyethylene is 100% recyclable

DOUBLE TOWERS KALUBA XKA200 WITH ROOFS AND BRIDGE

DIMENSIONS | **length:** 544
width: 414 **height:** 326
age of use: > 3 **security area:** 844x629

TRIPLE TOWERS KALUBA KKA300 WITH ROOFS AND BRIDGES

DIMENSIONS | **length:** 657
width: 544 **height:** 340
age of use: > 3 **security area:** 875x844

CLIMBING NET/RUNGS XCAR11
DIMENSIONS | 1030 x 1030 x 1300mm

DOUBLE CLIMBING NET XCAR20
DIMENSIONS | 1480 x 1030 x 1900mm

CLIMBING NET/RUNGS XCAR21
DIMENSIONS | 1480 x 1030 x 1900mm

SPECIFICATIONS | Glulam two-layer wooden struts: cross section 9x9 cm - 16 mm twisted steel rope climbing nets covered in polypropylene - 50 mm plastic ball joints - column fixing with plastic “thimble” - ladder with 40 mm wooden rungs - shapes on polyethylene strut joint - kit with galvanised bolts for assembly and plastic plugs

DOUBLE CLIMBING NET XCAR10

DIMENSIONS | 1030 x 1030 x 1300mm

NET CORNER/PULL-UP BAR GYM XSP33

DIMENSIONS | 1430 x 1120 x 1980mm



CLIMBING CORNER/PULL-UP BAR GYM XSP30

DIMENSIONS | 1430 x 1120 x 1980mm

SPECIFICATIONS | Glulam two-layer wooden struts: cross section 9x9 cm - 16 mm twisted steel rope climbing nets covered in polypropylene - 50 mm plastic ball joints - column fixing with plastic “thimble” - ladder with 40 mm wooden rungs - shapes on polyethylene strut joint - kit with galvanised bolts for assembly and plastic plugs

NET CORNER/WALL BAR GYM XSP31
DIMENSIONS | 1430 x 1120 x 1980mm

RECTANGULAR GYM XCPR10
DIMENSIONS | 2550 x 1670 x 1980mm

HEXAGONAL GYM XCPE10
DIMENSIONS | 2170 x 2500 x 1980mm

SPECIFICATIONS | Glulam two-layer wooden struts: cross section 9x9 cm - 16 mm twisted steel rope climbing nets covered in polypropylene - 50 mm plastic ball joints - column fixing with plastic “thimble” - ladder with 40 mm wooden rungs - shapes on polyethylene strut joint - kit with galvanised bolts for assembly and plastic plugs

HEXAGONAL GYM AND CLIMBING FACILITY COUNTRY ROBINIA XCPE10ROB

OCTAGONAL GYM AND CLIMBING STRUCTURE COUNTRY ROBINIA XRP012

OCTAGONAL GYM COUNTRY ROBINIA XRP010

SPECIFICATIONS - struts made of natural robinia pseudoacacia (black locust), diameter 12/13 cm - set of monkey bars with 40 mm rungs - 16 mm twisted steel rope climbing net with polypropylene coating - 16 mm twisted steel climbing rope with polypropylene coating - 50 mm plastic ball joints - pair of stainless steel coated rings + chain and revolving handgrips - tubular stainless steel horizontal bars for pull-ups - kit with hot-dip galvanised bolts

CLASSIC TOT HOUSE XC01
DIMENSIONS | 2000 x 1710 mm

MULTI 3 XC03 TOT HOUSE + PUSHCHAIR RAMP
DIMENSIONS | 5120 x 2150 mm

MULTI 2 XC02 TOT HOUSE
DIMENSIONS | 2150 x 2150 mm

COTTAGE XS12 WOODEN TOT HOUSE WITH RAMP/SLIDE
DIMENSIONS | 3380 x 1920 mm



CASABLANCA XS11 WOODEN TOT HOUSE WITH RAMP/SLIDE
DIMENSIONS | 3280 x 1850 mm

MINOS XS40 CRAWL-THROUGH LABYRINTH
DIMENSIONS | 3720 x 2510 mm

SPECIFICATIONS | - Glulam two-layer struts: cross section 9x9 cm - bevelled solid wood floorboard: 33 mm thick - plywood walls (three layers): 19 mm thick
- rotationally-moulded, recyclable polyethylene two-pitched roof - two seats/table made of non-slip plywood: 21 mm thick - one non-slip plywood sales shelf: 21 mm thick

TOT HOUSE COUNTRY ROBINIA XR10 MADE OF BLACK LOCUST
DIMENSIONS | **length:** 160, **width:** 168, **seat height:** 53, **age of use:** 2 - 8

TOT HOUSE COUNTRY ROBINIA XR12

TOT HOUSE COUNTRY ROBINIA XR20

PLAY TOWER COUNTRY ROBINIA XROM10 WITH THREE SLIDES

SPECIFICATIONS | - struts made of black locust (Robinia Pseudoacacia), diameter 12/14 cm
- platform, roof and railings are made of black locust - kit with hot-dip galvanised bolts for assembly

COMBINED PLAY FACILITY COUNTRY ROBINIA XRA202 WITH TWO SLIDES

TOWER COUNTRY ROBINIA XR150 WITH SLIDE

PLAY TOWER COUNTRY ROBINIA XRA100R WITH SLIDE H 144 CM

SPECIFICATIONS- two towers with struts made of black locust (robinia pseudoacacia) - parapets and steps made of black locust
- pitched roofs made of black locust - connecting bridge with mobile joists and twisted ropes
- stainless steel slide with sides made of HPL - kit with hot-dip galvanised bolts for assembly

COMBINED STRUCTURE COUNTRY ROBINIA XR95 WITH TUNNEL SLIDE

PLAY TOWER COUNTRY ROBINIA XROT100 WITH TWO SLIDES

COMBINED STRUCTURE "VILLAGGIO ROBINIA" XR55

SPECIFICATIONS - tower with struts made of black locust (robinia pseudoacacia)
- parapets and ramp with nonslip steps made of black locust - hexagonal roof made of black locust - stainless steel slide with sides made of HPL
- tunnel slide made of 100 % recyclable, rotationally-moulded polyethylene - kit with hot-dip galvanised bolts for assembly

TRACTOR WITH TRAILER COUNTRY ROBINIA XU30 + XU31

SPECIFICATIONS | - struts made of black locust (robinia pseudoacacia), diameter 10/12 cm - boards made of black locust (robinia pseudoacacia), thickness 3.3 cm and 4.3 cm
- realistic wheels with tyre tread entirely made of black locust wood - turnable black steering wheel made of PE - kit with galvanised bolts for assembly

SPRING RIDER GUFY XRM13

DIMENSIONS | **diameter:** 22/24 **seat height:** 60 **age of use:** 3-8

SPRING RIDER AMY XRM03

DIMENSIONS | **length:** 60 **width:** 38
seat height: 58 **age of use:** 3-8

SPRING RIDER BETTY XRM01

DIMENSIONS | **length:** 60 **width:** 38
seat height: 58 **age of use:** 3-8

SPECIFICATIONS | - shaped body made of hand-carved black locust wood - varnished with non-toxic and ecofriendly watercolours - the body is fixed on an "Eibach"-spring, diameter 20 cm, in HD-version (reinforced) - endowed with two footrests and hand grip made of stainless steel - Fe 360 galvanised base for cementing

TWO-SPRING SEESAW BETTY&NELLY XRM02

DIMENSIONS | **length:** 150 **width:** 125
seat height: 60 **age of use:** 3-8

SPRING RIDER SELLY XRM04N

DIMENSIONS | **length:** 60 **width:** 38
seat height: 58 **age of use:** 3-8

SPRING RIDER SELLY XRM04

DIMENSIONS | **length:** 60 **width:** 38
seat height: 58 **age of use:** 3-8

SPECIFICATIONS | - shaped body made of hand-carved black locust wood - varnished with non-toxic and ecofriendly watercolours - the body is fixed on an "Eibach"-spring, diameter 20 cm, in HD-version (reinforced) - endowed with two footrests and hand grip made of stainless steel - Fe 360 galvanised base for cementing

ROUNDABOUT ROTORSO WITH BEAR XCRG151

ROUNDABOUT ROTOGUFO WITH OWL XCRG149

RONNY XRS01

SPECIFICATIONS | - hand-carved bear made of black locust wood - varnished with non-toxic and ecofriendly water-based colours - hot-dip galvanised rotating mechanism - non-slip plywood floor - tubular stainless steel hand grips





SNOWCAT XU10 WITH TUBE SLIDE

SPECIFICATIONS | - frame made of bilam posts 9x9 cm - windshield made of plexiglass 8 mm strong - tube slide elements rotationally moulded - panels/decoration made of three layer polyethylene 19 mm strong - steering wheel - no. 3 activity panels (1 x xpa12, 2 x xpa13) - hot dip galvanized screws and plastic covers



SNAKE TINO XT110

DIMENSIONS | **length:** 944 **width:** 240 **age of use:** >3



SNAKE LELLO XT120

DIMENSIONS | **length:** 1260 **width:** 307 **age of use:** >3



SHIP X063 WITH SLIDE

DIMENSIONS | **length:** 733 **width:** 228 **age of use:** > 3

CASTLE DIRONDELLO XT100

DIMENSIONS | **length:** 339 **width:** 313 **height:** 266 **age of use:** >3



THREE TOWERS FUN OASIS XOA105 WITH BRIDGES AND TUBE SLIDES

DIMENSIONS | **length:** 986 **width:** 625 **age of use:** > 3

SPIRAL TOWER FUN OASIS XOA100LT WITH TUBE SLIDE

DIMENSIONS | 5610 x 4620 mm

SPIRAL TOWER FUN OASIS WITH TUBE SLIDE

DIMENSIONS | 5610 x 4620 mm

SPIRAL TOWER FUN OASIS XOA100LT WITH TUBE SLIDE

DIMENSIONS | 5610 x 4620 mm

SPECIFICATIONS | - Glulam two-layer turned struts: diameter 12 cm + ground brackets - hexagonal plywood waterproof roof - non-slip plywood triangular platforms h 84/144/168 cm: 21 mm thick
- one-piece rotationally-moulded polyethylene bam bou parapets - one-piece rotationally-moulded polyethylene slides: h 84 cm + h 144 cm
- curved tube slide, h 168 cm, diameter 80 cm, with rotationally-moulded polyethylene elements - polyethylene is 100% recyclable - kit with galvanised bolts for assembly and plastic plug

THREE TOWERS FUN OASIS XOA105 WITH BRIDGES AND TUBE SLIDES

DIMENSIONS | **length:** 986 **width:** 625 **age of use:** > 3

THREE TOWERS FUN OASIS XOA103L WITH BRIDGES AND TUBE SLIDE

DIMENSIONS | **length:** 872 **width:** 824 **age of use:** > 3

STRETCHING SUPPORT AND POLE XSP1

DIMENSIONS | **length:** 231 **width:** 163 **age of use:** 2-6

TOWER ALADIN XA90R WITH RAMP

DIMENSIONS | **length:** 231 **width:** 153 **age of use:** 2-6

TOWER ALADIN XA100

DIMENSIONS | **length:** 312 **width:** 220 **age of use:** > 3

SPECIFICATIONS | 9X9CM CROSS-SECTION POLES IN 2-LAYER WOOD W/ PLASTIC CAP, ROTATIONALLY-MOULDED, RECYCLABLE POLYETHYLENE, HOT-GALVANIZED FIXING ACCESSORIES KIT, IN PLASTIC PLUGS

TOWER ALADIN XA100RA WITH RAMP AND SWING

DIMENSIONS | **length:** 650 **width:** 182 **age of use:** > 3

TOWER ALADIN XA100RAP WITH RAMP, SWING AND GYM

DIMENSIONS | **length:** 648 **width:** 424 **age of use:** > 3

TOWER ALADIN XA100RP WITH RAMP AND GYM

DIMENSIONS | **length:** 423 **width:** 313 **age of use:** > 3

SPECIFICATIONS | 9X9CM CROSS-SECTION POLES IN 2-LAYER WOOD W/ PLASTIC CAP, ROTATIONALLY-MOULDED, RECYCLABLE POLYETHYLENE, HOT-GALVANIZED FIXING ACCESSORIES KIT, IN PLASTIC PLUGS

DOUBLE TOWER ALADIN XA205 WITH RAMP

DIMENSIONS | **length:** 456 **width:** 234 **age of use:** > 3

DOUBLE TOWER ALADIN XA205RP WITH RAMP AND GYM

DIMENSIONS | **length:** 489 **width:** 456 **age of use:** > 3

TOWER ALADIN XA480 WITH ACTIVITY PANEL

DIMENSIONS | **length:** 310 **width:** 167 **age of use:** >3

SPECIFICATIONS | 9X9CM CROSS-SECTION POLES IN 2-LAYER WOOD W/ PLASTIC CAP, ROTATIONALLY-MOULDED, RECYCLABLE POLYETHYLENE, HOT-GALVANIZED FIXING ACCESSORIES KIT, IN PLASTIC PLUGS

TWO TOWERS ALADIN XA202 WITH STEPS AND BRIDGE

DIMENSIONS | **length:** 420 **width:** 312 **age of use:** > 3

TWO TOWERS ALADIN XA203P WITH STEPS, BRIDGE AND GYM

DIMENSIONS | **length:** 675 **width:** 444 **age of use:** > 3

TWO TOWERS ALADIN XA203RP WITH RAMPS, BRIDGE AND GYM

DIMENSIONS | **length:** 670 **width:** 396 **age of use:** >3

SPECIFICATIONS | 9X9CM CROSS-SECTION POLES IN 2-LAYER WOOD W/ PLASTIC CAP, ROTATIONALLY-MOULDED, RECYCLABLE POLYETHYLENE, HOT-GALVANIZED FIXING ACCESSORIES KIT, IN PLASTIC PLUGS

STRETCHING SUPPORT AND POLE XSP1
DIMENSIONS | 180 X 90 X 3000mm

TILTED ABDOMINAL BENCH + EXCISE TABLE SXP2
DIMENSIONS | 2230 X 800mm

PARALLEL BARS WITH EXCISE TABLE XSP3
DIMENSIONS | 2000 X 600mm

SPECIFICATIONS | 9x9cm CROSS-SECTION POLES IN 2-LAYER WOOD W/ PLASTIC CAP, HOT-GALVANIZED FIXING ACCESSORIES KIT, IN PLASTIC PLUGS

AP 2004 | **5800 X 9900 X 4500 mm**
AGE GROUP | **3-15 yrs**

AP 2013 | **8200 X 11900 X 5300 mm**
AGE GROUP | **3-15 yrs**

AP 2014 | 6700 X 8700 X 4500 mm
AGE GROUP | 3-15 yrs

AP 2015 | 8800 X 9200 X 5300 mm
AGE GROUP | 3-15 yrs

AP 2101 | 4600 X 4400 X 3100 mm
AGE GROUP | 3-15 yrs

AP 2102 | 2800 X 4300 mm
AGE GROUP | 3-15 yrs

AP 2202 | 9500 X 5500 X 4100 mm
AGE GROUP | 3-15 yrs

AP 2104 | 4500 X 8300 X 3100 mm
AGE GROUP | 3-15 yrs

AP 2203 | **4100 X 1300 X 3100 mm**
AGE GROUP | **3-15 yrs**

AP 2204 | **4300 X 4900 X 3100 mm**
AGE GROUP | **3-15 yrs**

AP 2210 | **13600 X 14000 X 4400 mm**
AGE GROUP | **3-15 yrs**

AP 2211 | **940 X 1000 X 4300 mm**
AGE GROUP | **3-15 yrs**

LIGHTHOUSE
AP.2113/A
UNIT SIZE | 985 x 1850 cm MINIMUM USE SIZE | 1285 x 2200 cm
HIGHEST POINT | 940 cm NUMBER OF USERS | 28

TOWER
AP.1758/A
UNIT SIZE | 420 x 630 cm MINIMUM USE SIZE | 770 x 930 cm
HIGHEST POINT | 490 cm NUMBER OF USERS | 13

HOME
AP.2114/A

UNIT SIZE | 985 x 1190 cm MINIMUM USE SIZE | 1285 x 1490 cm HIGHEST POINT | 500 cm NUMBER OF USERS | 26

AP.2109/A

UNIT SIZE | 540 x 700 cm MINIMUM USE SIZE | 840 x 1000 cm HIGHEST POINT | 270 cm NUMBER OF USERS | 14

WOODIA
AP.2212/A

UNIT SIZE | 490 x 970 cm MINIMUM USE SIZE | 790 x 1270 cm
HIGHEST POINT | 490 cm NUMBER OF USERS | 16

BODRUM
AP.2116/A

UNIT SIZE | 816 x 1000 cm MINIMUM USE SIZE | 1166 x 1300 cm
HIGHEST POINT | 370 cm NUMBER OF USERS | 20

AP. 2115/A

UNIT SIZE | 260 x 450 cm MINIMUM USE SIZE | 560 x 760 cm
HIGHEST POINT | 370 cm NUMBER OF USERS | 6

AP. 2110/A

UNIT SIZE | 460 x 610 cm MINIMUM USE SIZE | 760 x 910 cm
HIGHEST POINT | 410 cm NUMBER OF USERS | 14

AP. 1553
CAPACITY | 2 AGE GROUP | 3-15 yrs



AP. 1551
AP. 1554



SINGLE SEESAW XCD20

DIMENSIONS | **370 X 4000mm** SEAT HEIGHT | **360 / 840mm**
AGE GROUP | **3-15 yrs** FALL HEIGHT | **990mm**



SINGLE SEESAW XCD40

DIMENSIONS | **370 X 4000mm** SEAT HEIGHT | **360 / 840mm**
AGE GROUP | **3-15 yrs** FALL HEIGHT | **990mm**

| FITNESS EQUIPMENT

STRETCHING SUPPORT AND POLE XSP1
DIMENSIONS | 180 X 90 X 3000mm

TILTED ABDOMINAL BENCH + EXERCISE TABLE SXP2
DIMENSIONS | 2230 X 800mm

PARALLEL BARS WITH EXERCISE TABLE XSP3
DIMENSIONS | 2000 X 600mm

SPECIFICATIONS | 9x9cm CROSS-SECTION POLES IN 2-LAYER WOOD W/ PLASTIC CAP, HOT-GALVANIZED FIXING ACCESSORIES KIT, IN PLASTIC PLUGS

HORIZONTAL OBSTACLES WITH EXERCISE TABLE XSP4

DIMENSIONS | 3090 X 2500mm

FLAT ABDOMINAL BENCH WITH EXERCISE TABLE XSP5

DIMENSIONS | 2300 X 9050mm

TILTED BEAM WITH EXERCISE TABLE XSP8

DIMENSIONS | 3980 X 210mm

SPECIFICATIONS | 9x9cm CROSS-SECTION POLES IN 2-LAYER WOOD W/ PLASTIC CAP, HOT-GALVANIZED FIXING ACCESSORIES KIT, IN PLASTIC PLUGS



PUSH-UP BARS WITH EXERCISE TABLE XSP7
DIMENSIONS | 2270 X 90mm

SET OF MONKEY BARS WITH EXERCISE TABLE XSP6
DIMENSIONS | 4000 X 3500mm

PULL-UP BARS WITH EXERCISE TABLE XSP9
DIMENSIONS | 3360 X 90mm

SPECIFICATIONS | 9x9cm CROSS-SECTION POLES IN 2-LAYER WOOD W/ PLASTIC CAP, HOT-GALVANIZED FIXING ACCESSORIES KIT, IN PLASTIC PLUGS

TRIPLE BALANCE BEAM WITH EXRCISE TABLE XSP12

DIMENSIONS | 5910 X 3180mm



SIDE FLIP WITH EXERCISE TABLE XSP10

DIMENSIONS | 2980 X 210mm

DOUBLE WALL BAR WITH EXERCISE TABLE XSP11

DIMENSIONS | 1250 X 1250mm

SPECIFICATIONS | 9x9cm CROSS-SECTION POLES IN 2-LAYER WOOD W/ PLASTIC CAP, HOT-GALVANIZED FIXING ACCESSORIES KIT, IN PLASTIC PLUGS

PULL-UP RINGS WITH EXERCISE TABLE XSP14

DIMENSIONS | 4000 X 2100 X 3000mm

GYM SET XSP240

DIMENSIONS | 4340 X 4750 X 2350mm

VERTICAL OBSTACLES WITH EXERCISE TABLE XSP13

SPECIFICATIONS | 9x9cm CROSS-SECTION POLES IN 2-LAYER WOOD W/ PLASTIC CAP, HOT-GALVANIZED FIXING ACCESSORIES KIT, IN PLASTIC PLUGS

GYM TOWER XSP250

DIMENSIONS | 4070 X 2830 X 2550mm

SPECIFICATIONS |

GLULAM TWO-LAYER WOODEN STRUTS: CROSS SECTION DIAMETER 12CM, PLASTIC STRUT CAPS, TUBULAR STEEL GYMNASTICS EQUIPMENT, GALVANIZED STEEL BALANCE BAR, RUBBER STOOLS, KIT WITH GALVANIZED BOLTS AND PLASTIC PLUGS

PARKOUR FOR BALANCE EXERCISES COUNTRY ROBINIA XRG02

BALANCE PARKOUR COUNTRY ROBINIA XRG07

SPECIFICATIONS | - struts made of black locust (robinia pseudoacacia), diameter 18/20 cm and 14/16 cm - spheres made of black locust wood, varnished with non-toxic and ecofriendly water-based colours - highly resistant Herkules rope, diameter 20 cm - balancing rope 14x14 cm

DOUBLE LEG STRETCHING EQUIPMENT
AP. 3751
DIMENSIONS | 1500 X 300 X 1100mm

BENCH & LEG SRETCHING EQUIPMENT
AP. 3752
DIMENSIONS | 1500 X 600 X 1100mm

DOUBLE ARM & CHEST MUSCLES EQUIPMENT AP. 3207
DIMENSIONS | 1080 X 900 X 2100mm

PUSH UP EQUIPMENT (S)
AP. 3756
DIMENSIONS | 1500 X 200 X 400mm

PUSH UP EQUPMENT (M)
AP. 3757
DIMENSIONS | 1500 X 200 X 600mm

PUSH UP EQUIPMENT
AP. 3758
DIMENSIONS | 1500 X 200 X 1100mm

DOUBLE LEG STRETCHING EQUIPMENT
AP. 3751
DIMENSIONS | 1500 X 300 X 1100mm

WAIST TRAINER (DOUBLE UNIT)
AP.3206
DIMENSIONS | 1800 X 850 X 2100mm

11TH YEAR Modern Gardens

WOOD MATERIAL

MODERN GARDENS FOR GARDENS EQUIPMENTS TRADING LLC

PO Box 128619 Abu Dhabi UAE | Tel +971 2 650 8039 | Fax +971 2 673 5995
Email moderngardens@gmail.com | marketing.moderngardens@gmail.com | Website moderngardensuae.com